

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	617	((379/433.01) or (379/433.11) or (379/368)).CCLS.	USPAT	2004/06/09 19:15
2	BRS	L2	180	1 and (elastomeric cover or flexible cover) and (button surface)	USPAT	2004/06/09 19:17
3	BRS	L3	128	2 and (first strap) and (second strap) and (inner surface) and (outer surface)	USPAT	2004/06/09 19:19
4	BRS	L4	75	3 and (slide cover) and (front cover) and (back cover) and (key dome switch)	USPAT	2004/06/09 19:20
5	BRS	L5	23	4 and (key dome switch) and (gap or hole) and engage\$3	USPAT	2004/06/09 19:22
6	BRS	L8	22	5 and (stretch or hold lens portion)	USPAT	2004/06/09 19:24
7	BRS	L11	22	8 and (button surface) and (key dome switch)	USPAT	2004/06/09 20:17

	Type	Hits	Search Text
1	BRS	50	("5884185" "6377811" "6466299" "5812955" "5487108" "5666357" "5845207" "5907804" "5920826" "6029065" "6199161" "6338140" "6374102" "5881377" "5938706" "6304430" "5983107" "6112088" "5621786" "5737707" "5787341" "5794157" "5828343" "5839058" "5852651" "5953323" "5999133" "6125289" "6158341" "6337754" "4268261" "5190303"
2	BRS	42742	379/\$.ccls.
3	BRS	41466	455/\$.ccls.
4	BRS	81541	379/\$.ccls. or 455/\$.ccls.
5	BRS	1339	(379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)
6	BRS	301	((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display
7	BRS	167	((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)

	Type	Hits	Search Text
8	BRS	156	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)
9	BRS	12	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and (elastomeric sheet)
10	BRS	8	(( (((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and (elastomeric sheet)) and key
11	BRS	2	(( ((((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and (elastomeric sheet)) and key) and symbol
12	BRS	2	(( (379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (grip or hole) and rim
13	BRS	4	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and bumper and (translucent portion)
14	BRS	3	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and strap

	Type	Hits	Search Text
15	BRS	3	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and strap ) and cover
16	BRS	3	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and strap ) and cover) and (key-dome switch)
17	BRS	6	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and (lens portion) and (lens perimeter)
18	BRS	1	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and (lens portion) and (lens perimeter)) and lens
19	BRS	1	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and strap and button
20	BRS	8	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and (key-dome switch) and (key-top or printed circuit board)) and (first strap) and (second strap)) and (hole or grip)

	Type	Hits	Search Text
36	BRS	419	((mobile adj station) and (flexible or elastomeric cover) ) and (mobile adj station)) and cover and display
37	BRS	2	((mobile adj station) and (flexible or elastomeric cover) ) and (mobile adj station)) and cover and display) and lens and button
38	BRS	15	((mobile adj station) and (flexible or elastomeric cover) ) and (mobile adj station)) and cover and display) and (lever arm) and (key-dome switch)
39	IS&R	503	((455/90) or (455/90.1) or (455/95) or (455/575.1)).CCLS.
40	IS&R	1135	((455/90) or (455/90.1) or (455/95) or (455/575.1) or (379/433.11) or (379/433.07) or (379/429) or (379/449) or (379/455)).CCLS.
41	IS&R	716	((455/90.1) or (379/433.11) or (379/428.01) or (379/455) or (379/456)).CCLS.
42	BRS	6	((455/90.1) or (379/433.11) or (379/428.01) or (379/455) or (379/456)).CCLS.) and (mobile adj station) and cover
43	BRS	0	((455/90.1) or (379/433.11) or (379/428.01) or (379/455) or (379/456)).CCLS.) and lens and strap
44	BRS	26	((455/90.1) or (379/433.11) or (379/428.01) or (379/455) or (379/456)).CCLS.) and rim
45	BRS	4	((((455/90.1) or (379/433.11) or (379/428.01) or (379/455) or (379/456)).CCLS.) and rim) and grip) and (lever arm) and (key dome switch)
46	BRS	4	(((((455/90.1) or (379/433.11) or (379/428.01) or (379/455) or (379/456)).CCLS.) and rim) and grip) and (lever arm) and (key dome switch)) and rim and grip
47	BRS	8	((((455/90.1) or (379/433.11) or (379/428.01) or (379/455) or (379/456)).CCLS.) and rim) and grip
48	BRS	111	455/41.2
49	IS&R	289	((455/41.2) or (455/556.1) or (455/557.2)).CCLS.
50	BRS	289	455/41.2 or (((455/41.2) or (455/556.1) or (455/557.2)).CCLS.)

	Type	Hits	Search Text
21	BRS	2	((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and rim
22	BRS	5793	455/\$.ccls. and cover
23	BRS	2	( (((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and rim) and cover) and (grip or hole)
24	BRS	2	(((((379/\$.ccls. or 455/\$.ccls.) and (elastomeric cover or flexible cover) and (mobile adj station)) and cover and display) and rim) and cover
25	BRS	486	(455/\$.ccls. and cover) and (mobile adj station) and (lens portion) and (button portion)
26	BRS	66	(455/\$.ccls. and cover) and straps
27	BRS	4	((455/\$.ccls. and cover) and (mobile adj station) and (lens portion) and (button portion)) and lens
28	BRS	1	((455/\$.ccls. and cover) and straps) and (front adj surface) and (translucent portion)) and rim
29	BRS	3	((455/\$.ccls. and cover) and straps) and (front adj surface) and (translucent portion)
30	BRS	1987	(mobile adj station) and (flexible or elastomeric cover)
31	BRS	12	((mobile adj station) and (flexible or elastomeric cover) ) and (elastomeric sheet) and symbol
32	BRS	8736	((mobile adj station) and (flexible or elastomeric cover) ) and (front adj cover) and (back adj cover) and (mobile adj station)
33	BRS	1	((mobile adj station) and (flexible or elastomeric cover) ) and (front adj cover) and (back adj cover) and (mobile adj station)
34	BRS	1987	((mobile adj station) and (flexible or elastomeric cover) ) and (mobile adj station)
35	BRS	1	((mobile adj station) and (flexible or elastomeric cover) ) and (mobile adj station)) and (front adj cover) and (back adj cover)

	Type	Hits	Search Text
71	BRS	139	((379/\$.ccls. or 455/\$.ccls.) and (mobile adj station) and housing) and switch
72	BRS	73	((((379/\$.ccls. or 455/\$.ccls.) and (mobile adj station) and housing) and switch) and cover
73	BRS	6	((379/\$.ccls. or 455/\$.ccls.) and (mobile adj station) and housing) and strap
74	BRS	73	((((379/\$.ccls. or 455/\$.ccls.) and (mobile adj station) and housing) and switch) and cover ) and switch
75	IS&R	288	((379/433.01) or (379/433.11)).CCLS.
76	BRS	3	((379/433.01) or (379/433.11)).CCLS.) and (mobile adj station) and (front cover) and (back cover)
77	BRS	10	((379/433.01) or (379/433.11)).CCLS.) and strap
78	BRS	1	(((((379/433.01) or (379/433.11)).CCLS.) and strap ) and (lens portion) and strap) and lens
79	BRS	6	(((((379/433.01) or (379/433.11)).CCLS.) and strap ) and (lens portion) and strap
80	BRS	3	((379/433.01) or (379/433.11)).CCLS.) and (mobile adj station) and cover
81	BRS	3	(mobile adj station) and (front adj cover) and (back adj cover)
82	BRS	1085	(mobile adj station) and (front cover) and (back cover) and (lens portion)
83	BRS	4	((mobile adj station) and (front cover) and (back cover) and (lens portion)) and lens) and engage\$3
84	BRS	3	((mobile adj station) and (front cover) and (back cover) and (lens portion)) and strap and engage\$3
85	BRS	6	((mobile adj station) and (front cover) and (back cover) and (lens portion)) and strap
86	BRS	29	((mobile adj station) and (front cover) and (back cover) and (lens portion)) and lens
87	BRS	44402	379/\$.ccls.
88	BRS	44125	455/\$.ccls.

	Type	Hits	Search Text
51	BRS	29	(455/41.2 or (((455/41.2) or (455/556.1) or (455/557.2)).CCLS.)) and (BLUETOOTH OR PDA)
52	BRS	0	(LIGHT ADJ SIGHT ADJ BEAM) AND (BLUETOOTH OR PDA)
53	BRS	0	(LINE ADJ SIGHT ADJ BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)
54	BRS	987	(LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)
55	BRS	987	((LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)) AND (FIRST PDA OR BLUETOOTH) AND (SECOND PDA OR BLUETOOTH)
56	BRS	961	((LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)) AND (FIRST PDA OR BLUETOOTH) AND (SECOND PDA OR BLUETOOTH)) AND (FIRST MOBILE DEVICE) AND (SECOND MOBILE DEVICE)
57	BRS	197	((((LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)) AND (FIRST PDA OR BLUETOOTH) AND (SECOND PDA OR BLUETOOTH)) AND (FIRST MOBILE DEVICE) AND (SECOND MOBILE DEVICE)) AND (DATA ADJ TRANSFER) AND (IR LINK OR RF LINK)
58	BRS	109	(((((LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)) AND (FIRST PDA OR BLUETOOTH) AND (SECOND PDA OR BLUETOOTH)) AND (FIRST MOBILE DEVICE) AND (SECOND MOBILE DEVICE)) AND (DATA ADJ TRANSFER) AND (IR LINK OR RF LINK)) AND (IrDA SPECIFICATION) AND (BLUETOOTH SPECIFICATION)
59	BRS	29	((((((LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)) AND (FIRST PDA OR BLUETOOTH) AND (SECOND PDA OR BLUETOOTH)) AND (FIRST MOBILE DEVICE) AND (SECOND MOBILE DEVICE)) AND (DATA ADJ TRANSFER) AND (IR LINK OR RF LINK)) AND (IrDA SPECIFICATION) AND (BLUETOOTH SPECIFICATION)) AND (MOBILE COMPUTING DEVICE) AND (CELLULAR ADJ TELEPHONE)



	Type	Hits	Search Text
60	BRS	29	(((((LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)) AND (FIRST PDA OR BLUETOOTH) AND (SECOND PDA OR BLUETOOTH)) AND (FIRST MOBILE DEVICE) AND (SECOND MOBILE DEVICE)) AND (DATA ADJ TRANSFER) AND (IR LINK OR RF LINK)) AND (IrDA SPECIFICATION) AND (BLUETOOTH SPECIFICATION)) AND (MOBILE COMPUTING DEVICE) AND (CELLULAR ADJ TELEPHONE)) AND (DATA ADJ TRANSFER) AND (FIRST PDA) AND (SECOND PDA)
61	BRS	22	(((((LINE SIGHT BEAM) AND (BLUETOOTH OR PDA) AND (IR OR RF)) AND (FIRST PDA OR BLUETOOTH) AND (SECOND PDA OR BLUETOOTH)) AND (FIRST MOBILE DEVICE) AND (SECOND MOBILE DEVICE)) AND (DATA ADJ TRANSFER) AND (IR LINK OR RF LINK)) AND (IrDA SPECIFICATION) AND (BLUETOOTH SPECIFICATION)) AND (MOBILE COMPUTING DEVICE) AND (CELLULAR ADJ TELEPHONE)) AND (DATA ADJ TRANSFER) AND (FIRST PDA) AND (SECOND PDA)) AND (RF LINK) AND (IR LINK)
62	BRS	6	((455/41.2 or ((455/41.2) or (455/556.1) or (455/557.2)).CCLS.)) and (BLUETOOTH OR PDA) ) and (data adj transfer) and (IR OR RF)
63	BRS	1	GB-2291560-\$.DID.
64	BRS	43493	379/\$.ccls.
65	BRS	42729	455/\$.ccls.
66	BRS	83427	379/\$.ccls. or 455/\$.ccls.
67	BRS	1	(379/\$.ccls. or 455/\$.ccls.) and (elastomeric adj cover)
68	BRS	13	(379/\$.ccls. or 455/\$.ccls.) and (flexible adj cover)and (semi-rigid cover)
69	BRS	3	((379/\$.ccls. or 455/\$.ccls.) and (flexible adj cover)and (semi-rigid cover)) and housing and display
70	BRS	183	(379/\$.ccls. or 455/\$.ccls.) and (mobile adj station) and housing